Skjermer LCD

1 - 30 April, 2010

H223HQ

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Full High Definition audio & graphics
- Distinctive Media Design
- Mind-blowing gaming with visual precision
- Integrated Audio System
- Future proof for Data, Media & Audio… All-digital HDMI™

StandardConfig

Display Size	55cm, 21.5"Wide 16:9 Full High Definition, 476.6 x 268.1 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	20'000:1
Viewing angle	170°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	- / - / -
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP)
VESA Wall Mounting Support	100x100 mm
PPI	99
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.248 mm
Speakers	1W x 2
Power consumption	Energy Star® On: 29.82W, Off: 0.9W, Standby: 1.2W
MTBF Hours	50000hr/25°C
Dimensions	519.6 x 376.9 x 69.8 mm
Net Weight	4.9 Kg
Certifications	CE, TÜV GS, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI and HDMI Cable.

model	part number	price excl VAT	
H223HQDbd 55cm (21.5'') Wide, 16:9 FHD, 5ms 50000:1, Max DVI MPRII Black Europe/UK power cord EMEA, Adaptive Contrast Management, Acer eDisplay Management	ET.WH3HE.D05	NOK 1055.00	
H223HQEbmid 55cm (21.5'') Wide, 16:9 FHD, 2ms 50000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro/UK power cords, EMEA, Adaptive Contrast Management, Acer eDisplay Management	ET.WH3HE.E01		
H223HQEbmid 55cm (21.5'') Wide, 16:9 FHD, 2ms 50000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro power cords, EMEA, Adaptive Contrast Management, Acer eDisplay Management	ET.WH3HE.E04	NOK 1119.00	

Skjermer LCD

1 - 30 April, 2010

H225HQL

Target User

- Hjemme bruk

Key Selling Points

- Once-in-a-moon design
- Performance to write home about
- Digital delight
- Great ease-of-use and power savings too

StandardConfig

Display Size	55 cm (21.5") Wide TFT LCD, 476.64x268.11 mm
Max. Resolution	1920x1080
Response Time	5 ms
Contrast Ratio	8'000'000:1 Max (ACM)
Brightness	250 cd/m2
Viewing Angle	170°(H),160°(V) (CR:10)
Colors	16.7M
Bits	6+HiFRC
Input Signal	Analog (VGA), Digital (DVI + HDMI w/HDCP)
VESA Wall Mounting	N/A
Speaker	1W x 2
Power Supply (100-240 V)	Internal
Power Consumption	0.42 W with ENERGY STAR® off/standby mode
	0.66 W with ENERGY STAR® sleep mode
	15.8 W with ENERGY STAR® on/active mode
Warranty	Limited Warranty

model	part number	price excl VAT	
H225HQLbmid 55cm (21,5") Wide, 16:9 FHD LED, 2ms 8000000:1 (ACM) black Speakers DVI HDMI (HDCP) MPRII EURO EMEA (black back)	ET.WH5HE.001	NOK 1223.00	
H225HQLbmid 55cm (21,5") Wide, 16:9 FHD LED, 2ms 8000000:1 (ACM) black MM DVI HDMI (HDCP) MPRII EURO/UK EMEA (black back)	ET.WH5HE.004		

Skjermer LCD

1 - 30 April, 2010

H233H

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Cinematic Enjoyment over Full HD graphics
- A chic and stylish media design
- Exciting picture imaging
- Integrated Audio System
- Acer eDisplay and ecolor management
- Advanced digital audio and video

StandardConfig

Display Size	23"Wide 16:9 Full High Definition, 509x286 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	40'000:1
Viewing angle	170°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	Tilt: -5°~ 15°
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP)
VESA Wall Mounting Support	100x100mm
PPI	96
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.248 mm
Speakers	1.5W x 2
Power consumption	Energy Star On: 31.7W, Off: 0.72W, Standby: 0.76W
MTBF Hours	50000hr/25°C
Dimensions	561.6x393.9x177.5 mm
Net Weight	4.77 Kg
Certifications	CE, TÜV GS, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI and HDMI Cable

model	part number	price excl VAT	
H233HE 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro/UK EMEA + Adaptive Contrast Management	ET.VH3HE.E01		
H233HEbmid 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro EMEA + Adaptive Contrast Management	ET.VH3HE.E02	NOK 1239.00	

Skjermer LCD

1 - 30 April, 2010

H233H

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Supreme Full HD digital graphics
- Classy media design
- Action packed gaming with visual precision
- Integrated Audio System
- Future proof for Data, Media & Audio… All-digital HDMI™
- Acer eColor and eDisplay management

StandardConfig

Display Size	58cm, 23"Wide 16:9 Full High Definition, 509.2x286.4 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	40'000:1
Viewing angle	170°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	Tilt: -5°~15°
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP)
VESA Wall Mounting Support	100x100mm
PPI	96
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.265 mm
Speakers	1W x 2
Power consumption	Energy Star On: 31.7W
	Off: 0.72W
	Stand by: 0.76W
MTBF Hours	50000hr/25°C
Dimensions	552x408x171.6 mm
Net Weight	4.92 Kg
Certifications	CE, TÜV GS, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI Cable

model	part number	price excl VAT	
H233HEbmid 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro/UK EMEA + Adaptive Contrast Management	ET.VH3HE.E01		
H233HEbmid 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black euro EMEA + Adaptive Contrast Management	ET.VH3HE.E02		
H233HEbmid 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black Swiss EMEA + Adaptive Contrast Management	ET.VH3HE.E03		
H233HEbmid 58cm (23'') Wide, 16:9 FHD, 2ms 80000:1, Speakers, DVI w/HDCP, HDMI MPRII Black S.Africa EMEA + Adaptive Contrast Management	ET.VH3HE.E04		

Skjermer LCD

1 - 30 April, 2010

H235H

Target User

- Hjemme bruk

Key Selling Points

- Stunning design
- Cutting edge visuals
- Future proof digital streaming
- Touch Sensitive OSD
- Acer eColor management
- Acer eDisplay

StandardConfig

Display Size	58 cm (23") Wide TFT LCD, 510x287 mm
Max. Resolution	1920x1080
Response Time	2 ms
Contrast Ratio	100'000:1 Max (ACM)
Brightness	300 cd/m2
Viewing Angle	160°(H),160°(V) (CR:10)
Colors	16.7M
Bits	6+HiFRC
Input Signal	Analog (VGA), Digital (DVI + HDMI w/HDCP)
VESA Wall Mounting	100x100mm
Speaker	1.5W x 2
Power Supply (100-240 V)	Internal
Power Consumption	0.9 W with ENERGY STAR® off/standby mode
	1.2 W with ENERGY STAR® sleep mode
	34 W with ENERGY STAR® on/active mode
Warranty	Limited Warranty

model	part number	price excl VAT	
H235Hbmid 23"Wide 16:9 FHD, 1920x1080@60Hz, 2 ms, 100.000:1, 300 cd/m²,	ET.VH5HE.005	NOK 1359.00	

Skjermer LCD

1 - 30 April, 2010

H243HX

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Supreme Full HD digital graphics
- Advanced multimedia and video conferencing
- Action packed gaming with visual precision
- Integrated Audio System
- Future proof for Data, Media & Audio
- Acer eColor and eDisplay management

StandardConfig

Display Size	61cm (24") Wide 16:9 Full High Definition, 531x299 mm
Panel Technology	TN + Film
Resolution	1920x1080 @ 60Hz
Format	16:9 Full High Definition
Brightness	300 cd/m2
Contrast	80'000:1
Viewing angle	170°(H), 160°(V) CR 10:1, 176°(H), 176°(V) CR 5:1
Response rate	2 ms
Tilt / Swivel / Pivot	Tilt: -5°~15°
Height Adjustment	-
Input Signal	VGA, DVI & HDMI (w/ HDCP), USB Hub
VESA Wall Mounting Support	100x100mm
PPI	92
Colours	16.7M (6+HiFRC)
NTSC	72 %
Pixel Pitch	0.276 mm
Speakers	2W x 2
Power consumption	Energy Star® On: 30.5W
	Off: 0.8W
	Stand by: 1.2W
MTBF Hours	50000hr/25°C
Dimensions	575x430.3x171.6 mm
Net Weight	5.5 Kg
Certifications	CE, TÜV GS, ISO 13406-2
Free Accessories	European, UK or Swiss Power Cables, VGA, DVI Cable

model	part number	price excl VAT	
Version Bbmidcz 24"Wide, 16:9 FHD, 2ms, 80000:1, Max DVI + HDMI, Speakers, MPRII Black, Europe power cord, EMEA, Adaptive contrast Management, Acer eDisplay Management, Webcam, USB Hub	ET.FH3HE.X05	NOK 1519.00	
Version Bbmidcz 24"Wide, 16:9 FHD, 2ms, 80000:1, Max DVI + HDMI, Speakers, MPRII Black, Euro/UK power cord, EMEA, Adaptive contrast Management, Acer eDisplay Management, Webcam, USB Hub	ET.FH3HE.X06		

Skjermer LCD

1 - 30 April, 2010

H235HL

Key Selling Points

- Once-in-a-moon design
- Performance to write home about
- Digital delight
- Great ease-of-use and power savings too

StandardConfig

Display Size	58 cm (23") Wide TFT LCD, 510x287 mm
Max. Resolution	1920x1080
Response Time	2 ms
Contrast Ratio	8,000'000:1 Max (ACM)
Brightness	250 cd/m2
Viewing Angle	160°(H),160°(V) (CR:10)
Colors	16.7M
Bits	6+HiFRC
Input Signal	Analog (VGA), Digital (DVI + HDMI w/HDCP)
VESA Wall Mounting	100x100mm
Speaker	1.5W x 2
Power Supply (100-240 V)	Internal
Power Consumption	0.9 W with ENERGY STAR® off/standby mode
	1.2 W with ENERGY STAR® sleep mode
	34 W with ENERGY STAR® on/active mode
Warranty	3 year bring in warranty

model	part number	price excl VAT	
H235HLbmid 58cm (23'') Wide, 16:9 FHD LED, 2ms 8000000:1 Max(ACM) LED black Speakers DVI HDMI (HDCP) MPRII EURO EMEA , black back	ET.VH5HE.008	NOK 1399.00	
H235HLbmid 58cm (23'') Wide, 16:9 FHD LED, 2ms 8000000:1 Max(ACM) LED black Speakers DVI HDMI (HDCP) MPRII EURO/UK EMEA (lack back)	ET.VH5HE.011		

Skjermer LCD

1 - 30 April, 2010

B193

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay, 50% Power saving design
- A solid display with a professional view
- Zero bright pixel guaranteed.
- Optimize your office space
- Seemless digital imaging
- Acer eDisplay
- Energy saving and environmentally friendly

StandardConfig

Display size	48 cm (19") (376 x 301 mm)
Panel Technology	TN+film
Resolution	1280 x 1024 @75 Hz
Pixel pitch	0.294mm
PPI	86
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	10'000:1 (ACM) or 50'000:1 (ACM)
Brightness	250 cd/m2
Response rate	5 ms
Colours	16.7m (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	2 X 1W
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel : 35°/35° Pivot: optional
Height Adjustment	80 mm, 110mm on models with pivot function
Wall-mount (VESA)	100mmX100mm
Kensington lock support	Yes
Connections	Analog (D-sub), Digital (DVI-D), Internal Power supply
Weight	5.2 kg, 5.8 kg on models with pivot function
Dimensions	408.3 x 437.3-357.3 x 198.5mm, 408.3 x 361.6-471.6 x 205.6mm on models with pivot function
Power consumption	Energy Star® On: 18.5W, Off: 0W, Standby: 0.53W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	All Acer LCDs support a three year carry-in warranty. B193 supports zero bright dot pixel.
Free Accessories	European, UK or Swiss Power cables, VGA and DVI cable.

model	part number	price excl VAT	
B193Dymdh 48cm (19'') 5ms 50000:1 Max, DVI, Speakers, TCO03, Darkgrey, Height Adjustment, Euro/UK cables, EMEA, Adaptive Contrast Management, Acer eDisplay Management, Zero Bright Dot, Acer EcoDisplay	ET.CB3ZE.D04	NOK 1149.00	

Skjermer LCD

1 - 30 April, 2010

B203H

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay
- Advanced Ergonomics
- Stunning picture quality
- Energy saving and environmentally friendly
- Advanced color management

StandardConfig

Display Size	51 cm (20") Wide, 442.8x249 mm
Panel Technology	TN + Film
Resolution	1600x900
Pixel pitch	0.276 mm
PPI	92
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	50'000:1 (ACM)
Brightness	250 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt : -5°/15°, Swivel : 35°/35°, Pivot: No
Height Adjustment	Yes 80 mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), Internal Power supply
Net Weight	5.8 kg
Dimensions (W x H x D)	476.4 x 324.9 x 198.3 mm
Power Consumption	Energy Star ON: 18.9W, Off: 0W, Standby: 0.47W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	Three Years bring-in Service. Zero Bright Dot warranty
Chassis Colour	Dark grey
Free Accessories	European, UK & Swiss Power Cables, VGA Analog, DVI Cable, Acer eDisplay Management, Acer GridVista

model	part number	price excl VAT	
B203HCymdh 51cm (20'') Wide, 16:9 HD, 5ms 50000:1 Max DVI w/HDCP Speakers TCO03 Darkgrey Height Adjustment, Euro/UK cable EMEA (Adaptive Contrast Management + Acer eDisplay Management) Acer EcoDisplay	ET.DB3HE.C01	NOK 1219.00	

Skjermer LCD

1 - 30 April, 2010

B223W

Key Selling Points

- Seemless digital picture
- Easy viewing and sharp imaging
- Versatile design and fully ergonomic
- Solid and Reliable
- Acer advanced eColor management
- Acer eDisplay, your professional assistant!

StandardConfig

Display Size	56cm (22") Wide, 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050 @ 60 Hz
Pixel pitch	0.282mm
PPI	90.1
Horizontal frequency	30 – 80kHz
Vertical frequency	55 - 75 Hz
Contrast Ratio	10'000:1 (ACM) or 50'000:1 (ACM)
Brightness	250cd/m2 or 300cd/m2
Response rate	5 ms
Colours	16.7M
NTSC Colour situation	72%
Loudspeakers	2 x 1W
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: 90°
Height Adjustment	Yes, 110mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) + USB Hub or Dual (Analog + DVI w/HDCP), Internal Power supply
Net Weight	6.4 kg
Dimensions (WxHxD)	506 x 357-467 x 216 mm
Power Consumption	B223WB: Energy Star® On: 30W, Off: 0W, Standby: 0.7W
	B223WG: Energy Star® On: 20.7W, Off: 0W, Standby: 0.46W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in service and zero bright dot policy
Chasis Color	Darkgrey
Free Accessories	European, UK or Swiss Power Cables, VGA Analog, DVI Cable(optional), USB Cable(optional), Acer GridVista Software, Acer eDisplay, Acer ecolor

model	part number	price excl VAT	
B223WGymdr 56cm (22'') Wide, 5ms 50'000:1 Max, DVI w/HDCP, Speakers, TCO03, Darkgrey, Pivot, Height Adjustment, Euro/UK cables, EMEA, Adaptive contrast management, Acer eDisplay management, GridVista, Zero Bright Dot, Acer EcoDisplay	ET.EB3XE.G02	NOK 1299.00	
B223WG 56cm (22'') Wide, 5ms 50000:1 Max DVI w/HDCP MM TCO03 Darkgrey Pivot,Hgt Adj. Euro*1+UK *1 EMEA (ACM+ADM+ZBD+GridVista) EPEAT Gold Acer EcoDisplay	ET.EB3XE.G05	NOK 1299.00	

Skjermer LCD

1 - 30 April, 2010

B243HL

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Professional, ergonomic style
- Huge widescreen productivity
- High-performance display
- Vital connections
- Energy-conserving functionality

StandardConfig

Display Size	61cm (24") Wide, Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 x 1080 @ 60Hz
Pixel pitch	0.276 mm
PPI	92
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast Ratio	8000'000:1 (ACM)
Brightness	250 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC colour situation	68%
Loudspeakers	2 x 1W, optional
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt : -5°/15°, Swivel : 35°/35°, Pivot: 90°
Height Adjustment	Yes 110 mm
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/HDCP), USB HUB, Internal Power supply
Net Weight	7.6 kg
Dimensions (W x H x D)	567 x 393 x 235 mm
Power Consumption	Energy Star® On: 17.15, Off: 0.45W, Standby: 0.55W
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	Three Years bring-in Service. Zero Bright Dot warranty
Chassis Colour	Black
Free Accessories	European, UK or Swiss Power Cables, VGA Analog, DVI Cable, Acer eDisplay Management, Acer GridVista and pivot Software

model	part number	price excl VAT	
B243HLymdr 61cm (24") Wide, LED, 5ms 8000000:1 ACM Darkgrey Speakers DVI (w/HDCP) Height adj. Pivot TCO03 EURO/UK EMEA (ZBD+ACM+ADM)	ET.FB3HE.013	NOK 1599.00	

Skjermer LCD

1 - 30 April, 2010

B273H

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Ease of multi-tasking plus viewing multiple applications
- Acer eDisplay for advanced and easy display enhancements.
- Brilliant display & vibrant colors
- High connectivity level
- Acers FlxArm Technology for superior ergonomics
- Zero bright pixel policy

StandardConfig

Display Size	69cm (27") Wide, FUll HD, 597.5x336.1mm
Panel Technology	TN + Film
Resolution	1920 x 1080 @ 60 Hz
Pixel pitch	0.32 mm
PPi	82
Horizontal frequency	
Vertical frequency	
Contrast Ratio	80'000:1 (ACM)
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Loudspeakers	1.5Wx2
Viewing angle CR 5:1	176°/176°
Viewing Angle CR 10:1	160°/160°
Tilt / Swivel / Pivot	Tilt: -5°/15°, Swivel: 35°/35°, Pivot: No
Height Adjustment	Yes 110mm
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub) and Digital (DVI w/ HDCP, HDMI), USB Hub, Internal Power supply
Net Weight	9.5 kg
Dimensions (WxHxD)	644x431x235 mm
Power Consumption	
MTBF Hours	50000hr/25°C
Compliance & Approvals	CE, TÜV GS, TCO 03, ISO 13406-2
Warranty	3 years bring in.
Chassis Color	Darkgrey
Free Accessories	European, UK or Swiss Power Cables, VGA Analog, DVI Cable, USB cable & Acer eDisplay, Acer ecolor management

model	part number	price excl VAT	
B273Hymidhz 69cm (27'') Wide, 16:9 FHD, 5ms, 80'000:1 Max, DVI+HDMI+USB, Speakers, TCO03, Darkgrey, Height adjustment, Euro/UK cable, EMEA, adaptive contrast management, Acer eDisplay management, GridVista	ET.HB3HE.005	NOK 2499.00	

Skjermer LCD

1 - 30 April, 2010

V193

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay, 50% Power saving!
- Sharp colors and rich data
- Reliability and Office performance
- Acer eDisplay for advanced and easy display enhancements.
- Acer eColor management

StandardConfig

Display Size	48cm (19") TFT, 376X301mm
Panel Technology	TN + Film
Resolution	1280 x 1024
Pixel Pitch	0.294 mm
PPI	86
Horizontal Frequency	30~80KHZ
Vertical Frequency	55~75HZ
Contrast Ratio	50'000:1
Brightness	250 cd/m2
Response Time	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	2 x 1W Optional speakers
Viewing Angle CR 5:1	178° / 178°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-Sub), Optional Digital (DVI) Internal Power supply
Weight	3.91 kg
Dimensions (WXHXD)	408 x 406.8 x 180.4 mm
Power Consumption	Energy Star® On: 18.5W, Standby: 0.53W, Off: 0.53W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13406-2
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Additional Accessories	Includes Euro, Swiss and UK power cables, VGA.

model	part number	price excl VAT	
V193Dbd 48cm (19'') 5ms, 50'000:1, DVI, TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management, Acer eDisplay management, Acer EcoDisplay	ET.CV3RE.D06	NOK 1049.00	
V193DKbmd , 19"4:3, 1280x1024@75Hz, 5 ms, 50.000:1, 250 cd/m², TCO03, EcoDisplay,	ET.CV3RE.D18	NOK 1139.00	
V193WEb 19"16:10, 1440x900@75Hz, 5 ms, 50.000:1, 250 cd/m², VGA, 3YR C&R, TCO03, EcoDisplay	ET.CV3WE.E12	NOK 849.00	

Skjermer LCD

1 - 30 April, 2010

V193HQ

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay
- Appreciated value
- Quality imaging
- Stylish and functional design
- Secured performance

StandardConfig

Size/Type	47cm (18.5") TFT LCD 16:9 HD, 409.8x230 mm
Panel Technology	TN + Film
Maximum Resolution	1366x768
Maximum Refresh Rate	75Hz
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	50'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	250 cd/m
Response Time	5ms
Pixel Pitch	0.300 mm
Maximum Colors	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	Analog (VGA), Optional Digital (DVI with HDCP), internal power supply
Power Consumption	Energy Star® On: 21.2W, Stand by: 0.67W, Off: 0.67W
Audio	Optional speakers
Mechanical Adjustments	Tilt: -5°~15°
	Swivel: No
	Pivot: No
	Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported
	100x100 mm
Dimensions & Weight	444x334.96x176.52 mm
	3.5 Kg
Compliance	Energy Star®
	TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty*

model	part number	price excl VAT	
V193HQDb 47cm (18.5'') Wide, 16:9 HD, 5ms, 50'000:1, TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management, Acer eDisplay management	ET.XV3HE.D02	NOK 879.00	

Skjermer LCD

1 - 30 April, 2010

V193HQ 18.5”Wide 16:9 HD

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter

Key Selling Points

- Appreciated value
- Enjoyable viewing experience
- Adaptive contrast mangement system
- Stylish and functional design
- High quality and secured performance

StandardConfig

Size/Type	18.5”TFT LCD 16:9 HD, 409.8x230 mm
Panel Technology	TN + Film
Maximum Resolution	1366x768
Maximum Refresh Rate	75Hz
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	10’000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	300 cd/m
Response Time	5ms
Pixel Pitch	0.300 mm
Maximum Colors	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	Analog (VGA), Digital (DVI with HDCP), internal power supply
Power Consumption	Energy Star On: 21.2W, Stand by: 0.67W, Off: 0.67W
Audio	No speakers
Mechanical Adjustments	Tilt: -5°~15°
	Swivel: No
	Pivot: No
	Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported
	100x100 mm
Dimensions & Weight	444x334.96x176.52 mm
	3.5 Kg
Compliance	Energy Star®
	TCO’03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty*

model	part number	price excl VAT

Skjermer LCD

1 - 30 April, 2010

V193HQL

Key Selling Points

- Clean, solid look
- Realistic display
- Power savings with full performance
- Environmentally friendly

StandardConfig

Size/Type	47cm (18.5") TFT LCD 16:9 HD, 410x230 mm
Panel Technology	TN + Film
Maximum Resolution	1366x768
Maximum Refresh Rate	75Hz
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	8000'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	250 cd/m
Response Time	5ms
Pixel Pitch	0.300 mm
Maximum Colors	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	Analog (VGA), Optional Digital (DVI with HDCP), internal power supply
Power Consumption	Energy Star® On: 10.19W, Stand by: 0.48W, Off: 0.26W
Audio	Optional speakers
Mechanical Adjustments	Tilt: -5°~15°
	Swivel: No
	Pivot: No
	Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported
	100x100 mm
Dimensions & Weight	444x334.96x176.52 mm
	3.5 Kg
Compliance	Energy Star®
	TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty*

model	part number	price excl VAT	
V193HQLb 47cm (18.5'') Wide, LED, 16:9 HD, 5ms 8000000:1 Max(ACM) LED black TCO03 EURO/UK EMEA	ET.XV3HE.019	NOK 889.00	

Skjermer LCD

1 - 30 April, 2010

V193W

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- True home cinema
- Over 50% Power saving!
- Intelligent adaptive contrast management
- Slim format for the modern home
- Long term performance
- Reliability and long term performance

StandardConfig

Display Size	48 cm (19") Wide TFT LCD, 408x255mm
Panel Technology	TN + Film
Resolution	1440X900
Pixel Pitch	0.283 mm
PPI	90
Horizontal Frequency	30~80KHZ
Vertical Frequency	55~75HZ
Contrast Ratio	50'000:1
Brightness	300 cd/m2
Response Time	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional Digital (DVI), Internal Power Supply
Weight	4.3 kg
Dimensions (WXHXD)	441.8 x 360.1 x 161.5 mm
Power Consumption	Energy Star® On: 16.5W, Stand By: 0.56W, Off: 0.55W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13406-2
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

model	part number	price excl VAT	
V193WDb 48cm (19'') Wide, 5ms, 50'000:1,TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management, Acer eDisplay management, Acer EcoDisplay	ET.CV3WE.D02	NOK 899.00	

Skjermer LCD

1 - 30 April, 2010

V193W - 19”Wide

Target User

- Hjemme bruk
- Løsninger for små- og mellomstore bedrifter

Key Selling Points

- True home cinema
- Crisp and clean images
- Intelligent adaptive contrast management
- Slim format for the modern home
- Long term performance
- Reliability and long term performance

StandardConfig

Display Size	19”Wide 408x255mm
Panel Technology	TN + Film
Resolution	1440X900
Pixel Pitch	0.284 mm
PPI	89.6
Horizontal Frequency	30~80KHZ
Vertical Frequency	55~75HZ
Contrast Ratio	2000:1
Brightness	300 cd/m2
Response Time	5ms
Colours	16.2M (6 bit)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional Digital (DVI)Internal Power Supply
Weight	4.3 kg
Dimensions (WXHXD)	441.8 x 360.1 x 161.5
Power Consumption	Energy Star® On: 26W, Max On: <37, Stand By: <2W, Off: <1W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13406-2
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

model	part number	price excl VAT	
V193Wb 19”Wide 5ms, 2000:1, TCO03, Black, euro cable, EMEA, Acer eDisplay Management	ET.CV3WE.001		

Skjermer LCD

1 - 30 April, 2010

V193WL

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Dazzling, professional look
- Stunning visuals
- Dependable, power-saving display
- Earth-friendly features

StandardConfig

Display Size	48 cm (19") Wide TFT LCD, 408x255mm
Panel Technology	TN + Film
Resolution	1440X900
Pixel Pitch	0.283 mm
PPI	90
Horizontal Frequency	30~80KHZ
Vertical Frequency	55~75HZ
Contrast Ratio	8000'000:1
Brightness	250 cd/m2
Response Time	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Multimedia	No
Viewing Angle CR 5:1	176° / 176°
Viewing Angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wallmount (VESA)	Supported, 100mm X 100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional Digital (DVI), Internal Power Supply
Weight	4.3 kg
Dimensions (WXHXD)	441.8 x 360.1 x 161.5 mm
Power Consumption	Energy Star® On: 13.5W, Stand By: 0.75W, Off: 0.56W
MTBF Hours	50000hr/25°C
Certifications	UL, CUL, TUV/GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-tick,BSMI,WHQL, ISO 13406-2
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black

model	part number	price excl VAT	
V193WLb 48cm (19'') Wide, LED, 5ms 8000000:1 black TCO03 EURO/UK EMEAAcer EcoDisplay	ET.CV3WE.018	NOK 899.00	

Skjermer LCD

1 - 30 April, 2010

V203H

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay, over 50% Powering Saving!
- Easy viewing and sharp imaging
- High definition digital imaging
- Cinematic 16:9 HD format
- Higher resolution over a wider viewing area
- Acer eColor management system
- Acer eDisplay

StandardConfig

Size/Type	51cm (20") Wide TFT LCD, 16:9 HD, 442.8x249 mm
Panel Technology	TN + Film
Maximum Resolution	1600 x 900
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	50'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	170°/160°
Brightness	250 cd/m
Response Time	5 ms
Pixel Pitch	0.276 mm
Maximum Colors Supported	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Signal Connectors	VGA
	DVI with HDCP (optional)
	Internal power supply
Power Consumption	Energy Star® On: 18.9W
	Off: 0.33W
	Standby: 0.47W
Audio	Optional
Mechanical Adjustments	Tilt: -5°~15°
	Swivel: No
	Pivot: No
	Height adjustment: No
Kensington® Lock	Supported
VESA Wall Mount	Supported
Dimensions & Weight	476.4x353.8x195 mm
	4.1 Kg
Compliance	Energy Star®
	TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty

model	part number	price excl VAT	
V203HCb 51cm (20'') Wide, 16:9 HD, 5ms, 50'000:1 Max, TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management, Acer eDisplay management, Acer EcoDisplay	ET.DV3HE.C01	NOK 1027.00	

Skjermer LCD

1 - 30 April, 2010

V223HQ

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay
- Text precision and rich color
- High definition digital imaging
- Detailed PPI (pixel per inch)
- Acer eColor management
- Acer eDisplay

StandardConfig

Display Size	55cm (21.5") Wide TFT LCD, 16:9 Full HD, 476.6x268 mm
Panel Technology	TN + Film
Resolution	1920x1080
Pixel pitch	0.248 mm
PPI	99
Horizontal frequency	30~ 80 kHz
Vertical frequency	55 ~ 75 Hz
Contrast Ratio	50'000:1
Brightness	300 cd/m2
Response rate	5 ms
Colours	16.7M (6 + HiFRC)
NTSC Colour situation	72%
Multimedia	Optional speakers
Viewing Angle CR 5.1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional digital (DVI) Internal Power supply
Net Weight	4.5 kg
Dimensions (H x W x D)	507.84x371.52x195 mm
Power Consumption	Energy Star® On: 30W Off: 0.67W, Standby: 0.79W
MTBF Hours	50000hr/25°C
Compliance & Approvals	TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	VGA cable, power cables

model	part number	price excl VAT	
V223HQBb 55cm (21.5'') Wide, 16:9 Full HD, 5ms, 50'000:1 Max, TCO03, Black, EURO/UK cables, EMEA, adaptive contrast management, Acer eDisplay Management	ET.WV3HE.B01	NOK 1079.00	

Skjermer LCD

1 - 30 April, 2010

V223W

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay, over 50% Power saving!
- View 34% more data or media content
- Detailed PPI (pixel per inch)
- Seemless digital imaging
- Acer eDisplay
- Acer eColor management

StandardConfig

Display Size	56 cm (22") Wide, 473x296 mm
Panel Technology	TN + Film
Resolution	1680x1050
Pixel pitch	0.282mm
PPI	90.1
Horizontal frequency	30~ 80 kHz
Vertical frequency	55 ~ 75 Hz
Contrast Ratio	10'000:1 or 50'000:1
Brightness	250 cd/m2 or 300 cd/m2
Response rate	5 ms
Colours	16.7M (6 + HiFRC)
NTSC Colour situation	72%
Multimedia	optional speakers
Viewing Angle CR 5.1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100x100mm
Kensington Lock Support	Yes
Connections	Analog (D-sub), Optional digital (DVI), Internal Power supply
Net Weight	4.6 kg
Dimensions (H x W x D)	506x399x180 mm
Power Consumption	V223WA: Energy Star® On: 30W, Off: 0.59W, Standby: 0.7W
	V223WD: Energy Star® On: 20.7W, Off: 0.31W, Standby: 0.46W
MTBF Hours	50000hr/25°C
Compliance & Approvals	TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	VGA cable, power cables

model	part number	price excl VAT	
V223WEbd 22"Wide 16:10, 1680x1050@60Hz, 5ms, 50.000:1,250 cd/m2, DVI, 3YR C&R, TCO03, EcoDisplay	ET.EV3WE.E06	NOK 1169.00	

Skjermer LCD

1 - 30 April, 2010

V233H

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Cinematic Enjoyment over Full HD graphics
- Future proof digital content
- Thrilling and seemless media imaging
- High quality and long term viewing
- Acer eDisplay
- Acer eColor management

StandardConfig

Size/Type	58 cm (23") Wide-screen TFT LCD, 16:9 Full HD, 509.8x286.8 mm
Panel Technology	TN + Film
Maximum Resolution	1920 x 1080
Horizontal Frequency	30KHz - 80KHz
Vertical Frequency	55Hz - 75Hz
Dynamic Contrast Ratio	80'000:1
Viewing Angle 5:1 (H/V)	176°/176°
Viewing Angle 10:1 (H/V)	160°/160°
Brightness	300 cd/m
Response Time	5 ms
Pixel Pitch	0.265 mm
Maximum Colors Supported	16.7 million
Color Saturation	72% NTSC
Bit	Six + HiFRC (high frame rate control)
Acer® CrystalBrite Technology	No
Connections	VGA
	DVI with HDCP (optional)
	Internal power supply
Power Consumption	On: 31.7W
	Off: 0.72W
	Standby: 0.76W
Audio	Optional speakers
Mechanical Adjustments	Tilt: -5°~15°
	Swivel: No
	Pivot: No
	Height adjustment: No
	Detachable foot stand: Yes
Kensington® Lock	Supported
VESA Wall Mount	Supported
Dimensions & Weight	544.5x390.8x221.8 mm
	7.1 Kg
Compliance	Energy Star®
	TCO'03
Chassis Color	Black
Limited Warranty	Three-year parts and labor limited warranty

model	part number	price excl VAT	
V233HAbd 58cm (23'') Wide, 16:9 Full HD, 5ms, 80'000:1, DVI w/HDCP, TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management	ET.VV3HE.A05	NOK 1179.00	

Skjermer LCD

1 - 30 April, 2010

V243H

Target User

- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Full high definition digital media
- Advanced digital and DRM protected content
- Sharp and crisp digital imaging
- Large 16:9 widescreen multitasking
- Acer eDisplay
- Acer eColor management

StandardConfig

Display Size	61 cm (24") Wide TFT LCD, 16:9 Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 X 1080
Pixel pitch	0.276 mm
PPI	92
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	80'000:1
Brightness	300 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	Optional
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Optional Digital (DVI with HDCP), Internal Power supply
Net Weight	5.3 kg
Dimensions (H x W x D)	567 x 402.7 x 200 mm
Power Consumption	Energy Star® On: 32.5W, Off: 0.8W, Standby: 1.2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chassis Color	Black
Free Accessories	European, UK or Swiss power cables. VGA (analog) cable.

model	part number	price excl VAT	
V243HAbd 61cm (24'') Wide, 16:9 Full HD, 2ms, 80'000:1 Max, DVI, TCO03, Black, Euro/UK cables, EMEA, adaptive contrast management, Acer eDisplay Management	ET.FV3HE.A03	NOK 1279.00	

Skjermer LCD

1 - 30 April, 2010

V243H - 24''Wide 16:9 Full HD

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter

Key Selling Points

- Full high definition digital media
- Advanced digital and DRM protected content
- View 76% more data and media content
- Acer empowering display technologies.
- Sharp and crisp digital imaging
- Large 16:9 widescreen multitasking
- Acer eDisplay for advanced and easy display enhancements.

StandardConfig

Display Size	24 Wide", 16:9 Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.276 mm
PPI	92
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	40'000:1
Brightness	300 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Digital (DVI with HDCP), Internal Power supply
Net Weight	
Dimensions (H x W x D)	
Power Consumption	Energy Star On: W, Off: W, Standby: W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chasis Color	Black
Free Accessories	European, UK & Swiss power cables. VGA (anagog) cable.

model	part number	price excl VAT

Skjermer LCD

1 - 30 April, 2010

V243HL

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Professional, classy style
- Brilliant colors and contrast
- Energy-saving, dependable display
- Green computing for a healthier horizon

StandardConfig

Display Size	61 cm (24") Wide TFT LCD, 16:9 Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 X 1080
Pixel pitch	0.276 mm
PPI	92
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	8000'000:1
Brightness	250 cd/m2
Response rate	5 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	68%
Speakers	Optional
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Optional Digital (DVI with HDCP), Internal Power supply
Net Weight	5.3 kg
Dimensions (H x W x D)	567 x 402.7 x 200 mm
Power Consumption	Energy Star® On: 17.15W, Off: 0.45W, Standby: 0.55W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chassis Color	Black
Free Accessories	European, UK or Swiss power cables. VGA (analog) cable.

model	part number	price excl VAT	
V243HLbmd 61cm (24'') Wide, LED, 16:9 FHD, 5ms 8,000,000:1 Max DVI w/HDCP Speakers TCO03 Black Euro/UK EMEA (ACM+ADM)	ET.FV3HE.L07	NOK 1499.00	

Skjermer LCD

1 - 30 April, 2010

V243W - 24’’Wide

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Increase productivity by multi-tasking
- High definition image quality
- View 76% more data and media content
- Render razor sharp details.
- Sharp and crisp digital imaging
- Solid and Slim design
- Acer eDisplay for advanced and easy display enhancements.

StandardConfig

Display Size	24 Wide”, 547x352mm
Panel Technology	TN + Film
Resolution	1920 X 1200
Pixel pitch	0.270 mm
PPI	94.1
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	3000:1
Brightness	400 cd/m2
Response rate	5ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	No
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°, Swivel: 35°/35°
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Internal Power supply
Net Weight	6.55 Kg
Dimensions (H x W x D)	562.4 x 368 x 210.3
Power Consumption	Energy Star On:: 48.6W, Max On: <90W, Off: <1W, Standby: <2W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO 03 .
Manufacturers Guarantee	3 Years bring-in service
Chasis Color	Black
Free Accessories	European, UK & Swiss power cables. VGA (anagog) cable.

model	part number	price excl VAT

Skjermer LCD

1 - 30 April, 2010

V173

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- Acer EcoDisplay
- High speed imaging for action-packed visuals.
- Rich details for easy viewing.
- No distortion for high quality view
- Customize your view

StandardConfig

Display size	43cm (17"), 338 X 270mm
Panel Technology	TN + Film
Resolution	1280 X 1024
Pixel pitch	0.264 mm
PPI	96
Horizontal frequency	30 ~ 80KHz
Vertical frequency	55 ~ 75Hz
Contrast Ratio	20'000:1
Brightness	250 cd/m2
Response rate	5 ms
Colour	16.2M colors (6 bit)
NTSC Colour situation	72%
Multimedia	2 x 1W (optional Speakers)
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount	VESA wall-mount 100x100mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Digitial (optional), Internal Power supply
Net Weight	3.75 kg
Dimensions (H x W x D)	370.2x376x160.2 mm
Power Consumption	Energy Star® On: 14W, Off: 0.48W, Stand By: 0.58W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, UL, EN60950, EN - 55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO03
Manufacturers Guarantee	3 Years bring-in service
Chassis Colour	Black
Free Accessories	All European Power Cables and VGA Cable

model	part number	price excl VAT	
V173Db 43cm (17'') 5ms, 20'000:1, TCO03, Black, Euro/UK cable, EMEA, adaptive contrast management, Acer eDisplay management, Acer EcoDisplay	ET.BV3RE.D02	NOK 819.00	

Skjermer LCD

1 - 30 April, 2010

S243HL

Target User

- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Innovative LED Technology
- A beauty to behold
- Acer EcoDisplay
- Thrilling imaging performance
- Visual precision 8,000,00:1 contrast
- Acer eDisplay
- Acer eColor management

StandardConfig

Display Size	61 cm (24") Wide, 16:9 Full HD, 531x299 mm
Panel Technology	TN + Film
Resolution	1920 X 1080 @60 Hz
Pixel pitch	0.277 mm
PPI	92
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	8'000'000:1 (ACM)
Brightness	250 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	68%
Speakers	Yes
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	170° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°
Wall-mount (VESA)	N/A
Kensington Lock Support	Yes
Connections	Analog (VGA), Digital (2xHDMI with HDCP), External Power supply
Net Weight	6.5 Kg
Dimensions (H x W x D)	569 x 425 x 192 mm
Power Consumption	Energy Star On: 17.15W, Off: 0.45W, Standby: 0.55W
MTBF Hours	15000hr/25°C
Compliance & Approvals	CE, ISO 13406-2
Manufacturers Guarantee	3 Years bring-in service
Chasis Color	Black
Free Accessories	European, UK or Swiss power cables. VGA (analog) cable. Speaker cable.

model	part number	price excl VAT	
S243HLbmii 61cm (24") Wide, 16:9 Full HD, LED </BR> Response time: 2ms </BR> Contrast: 8'000'000:1 Max </BR> Brightness: 300 cd/m2 </BR> Digital input: 2x HDMI </BR> Colour: Black </BR> Power cord: EURO/UK </BR>	ET.FS3HE.002	NOK 1999.00	

Skjermer LCD

1 - 30 April, 2010

T230H

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter
- Løsninger for små- og mellomstore bedrifter
- Store bedrifter

Key Selling Points

- View it, touch it, experience it
- Expanded functionality, ergonomics & increased productivity
- 16:9 widescreen advantage
- All-digital HDMI™ interface
- Rapid 2 ms response time

StandardConfig

Display Size	58cm (23") Wide, Full HD, 510x287mm
Panel Technology	TN + Film
Resolution	1920 X 1080 @ 60Hz
Pixel pitch	0.265 mm
PPI	96
Horizontal frequency	30KHz - 80KHz
Vertical frequency	55Hz-75Hz
Contrast Ratio	80'000:1
Brightness	300 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72%
Speakers	Yes
Viewing Angle CR 5:1	176° / 176°
Viewing angle CR 10:1	160° / 160°
Tilt / Swivel / Pivot / Height Adjustment	Tilt: -5°/15°</br> Swivel: Yes</br> Pivot: No</br> Height Adjustment: Yes 110 mm
Wall-mount (VESA)	100 x 100 mm
Kensington Lock Support	Yes
Connections	Analog (VGA), Digital (HDMI + DVI with HDCP), USB for Touch function, Internal Power supply
Net Weight	8.5Kg
Dimensions (H x W x D)	567.3 x 404 x 216.9 mm
Power Consumption	Energy Star On: 35.5W, Stand By: 0.89W, Off: 0.75W
MTBF Hours	50000hr/25°C
Compliance & Approvals	ISO 13406-2, TUV-GS, FCC-B, CE, MPRII
Manufacturers Guarantee	3 Years bring-in service
Chasis Color	Black
Free Accessories	European, UK or Swiss power cables. VGA and DVI cables, Speaker and USB cables.

model	part number	price excl VAT	
T230Hbmidh 58cm (23'') Wide, 16:9 Full HD, Touch, 2ms, 80'000:1, DVI + HDMI, Speakers, MPRII, Black, Height Adjustment, EURO/UK cables, EMEA, adaptive contrast management, Acer eDisplay Management	ET.VT3HE.001	NOK 2479.00	

Skjermer LCD

1 - 30 April, 2010

G245H Special Edition

Target User

- Hjemme bruk
- Løsninger for profesjonelle brukere og mindre bedrifter

Key Selling Points

- Sleek, spirited design
- Competent performance
- Winning functionality

StandardConfig

Display size	61cm (24") Wide, 16:9 Full HD, 531x299mm
Panel Technology	TN
Resolution	1920 x 1080 @ 60Hz
Pixel pitch	0.276 mm
PPI	92
Horizontal Frequency	30-80KHz
Vertical Frequency	55-75Hz
Contrast ratio	80'000:1 (ACM)
Brightness	300 cd/m2
Response rate	2 ms
Colours	16.7M (6 bit + HiFRC)
NTSC Colour situation	72 %
Internal speakers	2Wx2 (optional)
Viewing angle CR 5:1	176°/176°
Viewing angle CR 10:1	170°/160°
Tilt / Swivel / Pivot	Tilt. -5°/15°
Height Adjustment	No
Wall-mount	100 mm x 100 mm
Kensington lock support	Supported
Connections	Analog (D-sub), Digital (DVI-D), HDMI (Optional), Internal Power Supply
Weight	5.1 Kg
Dimensions	574.8x417.8x194.4 mm
Power consumption	Energy Star® On: 30.5W Off:0.8W Stand by:1.2W
MTBF Hours	50000hr/25°C
Certifications	CE, TÜV GS, ISO 13406-2
Warranty	All of Acer Consumer LCDs support a two year carry-in warranty.
Free Accessories	European, UK or Swiss Power Cables, VGA cable

model	part number	price excl VAT	
GD245HQbid 23.6"Wide 16:9 FHD, 1920x1080@120Hz, 2 ms, 80.000:1, 300 cd/m², FULL HD, VGA, DVI, HDMI, 2YR C&R, 3D, LED, EcoDisplay	ET.UG5HE.004	NOK 3039.00	